



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

fig: 8.










fig: 4
M
L

fig: 6
X



V. *A Letter to the Publisher from Mr Buffiere,
F. R. S. Concerning a triple Bladder, &c.*

ACcording to my promise, I send you the description and figure of the triple Bladder which you saw lately, at a meeting of the Royal Society; it is so extraordinary a case, that I do not question but it will be very acceptable to you. There is indeed some account of a double Bladder found in the body of some men; as for instance, that which was found in the body of the famous and learned *Casaubon*; but there is none of three Urinary Bladders in the body of a man. I do not say however that the same case might not have been in some others, but there is no mention made as yet in any Author that I know; the opening of dead bodies is too much neglected; and I do not ~~question but if~~ Physicians were a little more careful to search, or cause to be searched in the bodies of them that dye of extraordinary distempers, they would find sometimes, that which they attribute to the alteration of the blood or humour, dependeth meerly on an extraordinary conformation of parts. This triple Bladder found in the body of the late Mr *Booth* will be a proof thereof; but before I give the description of it, I think it necessary to give you an account of the Symptoms which that Gentleman did undergo by the conformation of his Bladder, and of the cause of his death.

In his best health, he could not make his water in a full and continual stream, the Urine running out but by little and little, and with great efforts of inspiration, chiefly when there was but little quantity of it in the
Bladder

Bladder, which did fatigue him very much, though the passing of the Urine through the neck of the Bladder was not painful ; except the two or three last years of his life, because of a thick *Mucus*, which then discharged with the Urine.

That *Mucus* growing in greater quantity of late, made him apprehensive it had been caused by a Stone in his Bladder ; upon such thoughts he apply'd himself to one , in order to be searched by him , who accordingly introducing his Catheter, and meeting with some resistance in the *Urethra*, did force the Catheter through the Membranes, and made such dilaceration in them, that the Patient lost immediately a great quantity of Blood ; which bleeding continuing for ten days, without his seeking for any help, brought him under very great torments, by reason the blood being grumulous in the *Urethra*, could not be forced out but by very violent efforts and acute pain, which caused a mortification in the part, of which he dyed.

The next day after his death, I did open the body, in presence of Drs *Daves*, *Chamberlain*, *Woodward*, Mr *Bernard* the Chirurgion, and several others ; in which the natural Urinary Bladder was found lying on the left side of the *Pelvis* upon the *Ilium* Bone, then searching what should be the cause of such unnatural situation, we did find one large and round bag, lying under the *Pubis* upon the *Rectum*, filling up all the cavity of the *Hypogaster* ; then in order to examine the thing more exactly, I did dissect the *Penis* and the *Rectum*, and having taken them out of the Body, and laid them down upon a Table, the first thing I did was to lay open the *Urethra*, to examine whether there was any carnosity, as the Surgeon who first introduced the Catheter had suspected ; but there was none : and that *Ductus* was as plain and sound as could be, except the dilaceration which the

Catheter had made in it ; then having introduced a Conductor into the Bladder , I divided it quite ; and first it was observed , that the round bag, which was made up of two Bladders, or rather two Cystis's, divided one from the other only by a Membrane, that which was next to the true Bladder was something bigger than the Bladder, the other which was lying on the right side being much lesser ; each of these two Cystis's had its orifice open in the neck of the natural Bladder, which was longer than it is naturally, as you may see in the Figure.

None of the *Ureteres* were inserted into any of these Cystis's, but they were inserted into the neck of the true Bladder, by the orifices of the two Cystis's, infomuch that the Urine could be equally received by them and the Bladder.

Secondly, It was observed that the glandules of the true Bladder were extraordinarily big and red, that colour being, very likely, the effect of the inflammation caused by the dilaceration of the *Urethra*. I have oftentimes observed that a thick *Mucus*, which runneth out of the Bladder, and which some think to be the matter of an Impostume or Ulcer in the Kidneys, is only produced by those glandules of the Bladder grown scrophulous, when that *Mucus* groweth thick and clammy, it causeth the same pain on the neck of the Bladder as if it were a Stone.

The glandules of the great Cystis were very sensible, but very small, they were not at all sensible in the smaller Cystis.

Now it is easie by the description of these Bladders, to give a reason of the symptoms that Gentleman did undergo, for by the situation of the great Cystis, it is plain that the Water could not come out but by the force of the inspiration, its own Muscles being not able to force it out, and consequently could not come out
but

but by little and little ; and these efforts of inspiration were to be the greater when there was but little quantity of Urine, because it required greater force to make it ascend from the bottom of the Cystis, which could not be done but with great labour and fatigue.

The pain which he did suffer in the late years of his life, was caused by the thickness of the *Mucus* running out of the glandules of his Bladder, his Kidneys being very good and sound.

Explanation of the Characters in the Figure.

A A the body of the true Bladder, 1, 2, 3, 4, 5, 6, its glandules.

B B the great Cystis.

C C the smaller Cystis, 1, 2, 3, its wrinkles.

D part of the true Bladder overturned.

E the neck of the Bladder.

F F F F the two *Urethra's*.

G the insertion of the Spermatick Vessels in the *Urethra*.

H H the *Prostates*.

I I *Vesiculæ Seminales*.

K K *Vasa Deferentia*.

L the *Urethra*.

M M the *erectores Muscles*.

N the *Penis*.